COR®BON

Glaser®

President's Message

BIGGER BULLET? BETTER BULLET? FASTER BULLET?

Peter R. Pi, President COR®BON/Glaser

STOPPING POWER MYTHS ADDRESSED

BIGGER

In previous years, it has been thought that a heavier bullet of large diameter provided the best stopping power. This was the idea, behind the adoption of the .45 ACP round for U.S. military use, when only full metal jacketed bullets were available. However, we now know that bullet size alone is not the answer, since it is feasible that full metal jacket .45 bullets can whistle through an attacker without stopping him. Today, it is our contention that the best self-defense loads are high velocity expanding bullets. It should be of adequate caliber that a person can handle safely and accurately. This load should emphasize speed over weight and be carried in a concealable handgun that is comfortable to carry. Bigger is not always better.

BETTER

An effective self-defense load must deliver two basic fundamentals, bullet expansion and penetration. Some bullet designs look good in magazine ads, but larger expansion and deeper penetration are the critical elements to stopping a fight instantly. The construction of a bullet is one crucial factor of its performance. With traditional hollowpoints, they must have a soft lead core and a thin jacket, along with a hollowpoint that is large enough for material to get inside and push outward on the walls to enhance its expansion. If the hollowpoint is too small or the lead is too hard then it will not expand enough to perform well. It also must have adequate penetration without over penetrating. This is the key to a better bullet. However, there is one exception to this, DPX. This bullet construction is all copper and has a large enough hollowpoint to exceed traditional expansion expectations.

FASTER *(Expansion is key, but Velocity is KING!)*

High Velocity –The answer to reliable bullet expansion. High velocity is obtained by optimum choices in gun powder selection. The greater the velocity, the more violently the bullet will expand. This causes enhanced shock to the nervous system and increases the chance of incapacitation. High powered rifles are known to have the highest velocity. That is why a rifle's stopping power is much more efficient than a handgun. When choosing a handgun for self-defense a person should choose ammunition that can supply the highest amount of velocity, safely.

Bullet expansion in conjunction with high velocity is what creates a larger than caliber wound channel. It also facilitates transfer of energy and increases tissue damage. Bullets must expand every time for optimal performance. Hollowpoints that do not expand will stop fights with one shot, but only 60-70% of the time. Hollowpoints that expand will come in at 75-90%. Hollowpoints that expand violently are 85-95% effective.

GETTING TECHNICAL:

To simulate how a bullet will perform, we shoot our bullets into a medium called ordnance gelatin. Ordnance gelatin is designed to simulate the density and elasticity of human flesh. We cover the ordnance gelatin with four layers of 10oz denim to simulate heavy clothing. After COR®BON ammo is tested in ordnance gelatin, we measure the total penetration depth of the bullet, the recovered diameter and the percentage of weight retention. From these results, the size of the permanent (crush) and the temporary (stretch) cavities are calculated. Bullets that expand produce larger crush cavities than bullets which do not expand. As the volume of the crush cavity increases, so does the stopping power. The crush cavity is a good indicator of stopping power at lower impact velocities. The size and shape of the temporary cavity is also measured and evaluated. Bullets that expand violently produce larger, more effective stretch cavities than bullets which expand slowly or marginally. As the volume of this stretch cavity increases so does stopping power. The stretch cavity is a good indicator of stopping power at higher impact velocities.

But expansion in ordnance gelatin tells us only part of the story. In an actual gunfight, slower hollowpoints can often become plugged with clothing material. When a bullet lacks velocity it performs like a round nose bullet, expanding hardly at all. To be an effective stopper, a bullet must have enough velocity to expand whether plugged with debris or not. It needs to expand and dissipate its energy within the target to effectively create stopping power. In the case of Pow'RBall bullets, the hollowpoint is protected by a polymer ball which prevents plugging. The ball also delays expansion to allow the bullet to obtain optimum penetration before expansion begins.

Lab tests and street results have shown that hollowpoints that expand in gelatin will typically expand in street use. Hollowpoint bullets that barely expand in gelatin do not expand in real gunfights unless bone is hit. There are many loads sold to civilians and law enforcement that do not have enough velocity to insure reliable expansion.

All COR®BON defensive ammo like our Traditional JHPs, Pow'RBall, and DPX are designed with adequate velocity to expand in gelatin... or bad guys. COR®BON ammo expands reliably and creates Stopping Power!

COR®BON AMMO

Every production lot of COR®BON ammo is tested and re-tested to assure our customers the very best ammunition they can purchase.

COR®BON ammo consistently ranks at the top of the class in actual one shot stops. We have developed a variety of loads for various real life situations. All our customers need to do is select the type of load that meets their needs. Our company offers live technical support to answer any questions and help you decide. We believe that if you choose COR®BON, you will have the best ammo with the highest probability of a one shot stop. Why take chances with anything else?

With these ever changing events in our country, it is important that each American retain their rights protected by our Constitution and the Bill of Rights. It is up to us as free people, to keep the constitution as our forefathers wrote it. I'm amazed by their great foresight and wisdom. Protect your Gun Rights and they will protect your freedom.



~ Peter R. Pi, President COR®BON/Glaser

TABLE OF CONTENTS

Self-Defense JHP 4-5
Self-Defense DPX 6-7
COR®BON Hunter 8-9
DPX Hunter 10-11
Glaser Safety Slug 12-13
Glaser Pow'RBall 14-15
Performance Match 16
Custom Loads 17
Quotes and Photos 18
Load Specifications 19

COR®BON'S SELF-DEFENSE

THE ORIGINAL JACKETED HOLLOWPOINT—VELOCITY IS KING!

COR®BON's tried and tested Jacketed Hollowpoint ammunition provides reliable penetration and expansion. This is achieved through high velocity and using exclusively designed components.

ANALYSIS OF VELOCITY:
The faster a bullet is traveling, the more energy is created. Energy developed at the muzzle must be transferred or "dumped" into the target to be effective. Energy transfer is aided by bullet expansion. The higher the velocity, the more rapidly the expansion, the more effectively the energy is expended into the target. This explosive expansion dumps the available energy quickly, creating tremendous shocking power, and causes immediate STOPPING POWER! Stopping Power means SAFETY! Don't be misguided by those who claim that their products have some magical or mystical performance advantage or that they can make a reduced power load with increased performance. We believe it isn't possible!

All COR®BON's defensive ammunition is test fired into ballistic ordnance gelatin. Penetration varies from 9-12 inches. Combine this with an expansion range of up to twice the original bullet diameter and the result is an ideal defensive load, available in all popular calibers. Other ammunition is still being judged by our standard Jacketed Hollowpoint ammunition. COR®BON has been leading the way for over 25 years. Always innovative, always one step ahead of the competition. There may be less expensive ammunition available, but are you willing to sacrifice your life on what you think is a bargain? It only takes ONE.

- **Proven Stopping Power!**
- **The best choice as a general use self defense load**
- **Our JHP is HOT STUFF!**

***International Wound Ballistics Association Protocol: 10% ordnance gelatin covered with four layers of denim.**



Self-Defense JHP

380 Auto 90gr JHP

DPX®—SELF-DEFENSE

DPX-THE NEXT GENERATION; SOLID COPPER AND LEAD FREE!

DPX is a solid copper hollowpoint bullet that combines the best of the lightweight high speed JHPs and the heavy weight, deep penetrating JHPs. Recoil and recovery between shots are similar to the light weight rounds while soft tissue penetration is similar to the heavy weight rounds.

Hard barrier penetration on auto glass and steel are no problem for this all copper hollowpoint round. You get superb performance on these hard barriers while still maintaining safe soft tissue penetration depths.

The research and development team for COR®BON products used the protocol from the FBI's testing procedures to develop the defensive line of DPX ammunition. They achieved soft tissue penetration of 12-17", with reliable and consistent expansion. The recovered bullets are 150% to 200% of the original size and 100% weight retention when recovered from the test medium of 10% ballistic gelatin with four layers of 10 oz denim barrier. The permanent crush cavity is also considerably larger than that of a typical JHP.

The all copper bullet construction makes it conquer hard barriers like auto glass and steel while still maintaining its integrity. This is an optimum load for Law Enforcement.

- Deep penetration on soft tissue 12-17"
- Easily conquers hard barriers like auto glass and steel
- Reduced recoil due to lighter weight projectile
- Lead free projectile
- Environmentally friendly

THUNDER RANCH™ AMMO

The Elite world class Thunder Ranch™ training center has teamed up with the distinctive reputation of COR®BON, to exclusively bring you Thunder Ranch Defensive Ammunition. Made specifically and packaged for world renowned defensive tactics trainer, Clint Smith. Thunder Ranch™ Ammo offers the same quality and performance you've come to expect from COR®BON's DPX Ammunition. Clint Smith has put his respected reputation and trust in COR®BON to provide his students the best shooting ammunition in the industry, PERIOD!

- Solid Copper X Bullet
- Deep penetrating
- Impressive expansion
- Environmentally friendly



"From one who knows: There is nothing like the DPX bullet! They consistently outperform every other bullet available, in every way a bullet can perform. I carry DPX religiously, in all my guns!"

John S Farnam, Colorado
President of Defense Training International

45 Auto+P 185gr DPX

COR®BON HUNTER

DESIGNED FOR SERIOUS HANDGUN HUNTERS

For over 25 years COR®BON's dedicated and skilled team have been developing innovative hunting ammunition for serious handgun hunters heading around the world to harvest large, tough and dangerous game.

Peter Pi originally designed his handgun hunting ammo from his passion of handgun hunting. Frustrated with the lack of serious handgun hunting ammunition on the market, he developed his own process, over 25 years ago, to create the highest performance handgun ammo in the world. This product is the ammunition that started it all. COR®BON stands for Bonded Core. It has been successfully proven through the years by worldwide hunting greats such as Larry Kelly, (Mag-na-Port) and JD Jones, (SSK Industries).

COR®BON manufactures Bonded Core Soft Point ammunition that retains optimum weight and integrity. These provide reliable expansion, coupled with deep penetration. Both these factors are crucial in stopping large game.

COR®BON's Penetrator and Hard Cast loads are ideal for use on tough skinned, heavy boned, large game. Manufactured by our skilled craftsmen, the Penetrator features a heavy full copper jacket enclosed in a hard linotype lead core. Our Hard Cast bullets are precision cast from hard linotype lead and have the proven flat, LBT nose design.

Both the Penetrator and Hard Cast loads cause a through and through hole, penetrating the thickest hides and breaking even the heaviest bone.

COR®BON customers trust our ammunition to never fail on their hunt of a lifetime.

- **Serious ammunition for the Serious Handgun Hunter**
- **Uncompromised quality and integrity**
- **Trusted by Professional Handgun Hunters world wide**

"I started using COR®BON's deep penetrating 350 gr BCSP 45/70 load in my custom Gunsite built Browning 1886 lever-action carbine back in 2003 when hunting boar. I have yet to recover a bullet as the Bonded Core 350gr bullet had always fully penetrated even after breaking through both shoulders. No animal had required a second shot, EVER!"

Steve Camp
Defensive Firearms Instructor/Steel Target Designer & Manufacturer/Ballistic Containment Systems Designer
Safe Direction, LLC

460 S&W Mag 325gr BC

DPX Hunter

COR®BON'S DPX® HUNTER

GOT THE LEAD OUT*

DPX Hunter ammunition is a high quality hunting load that utilizes the excellent all copper Barnes TSX hollowpoint or TSX tipped bullet. DPX Hunter will give you excellent penetration on any size game. The TSX bullets are known for their reliable, consistent expansion, as well as their heavy bone breaking ability. Weight retention is 100% with this load even if thick hides, heavy dense muscle or large heavy bone are encountered.

When hunting wild game from Coyotes to Cape Buffalo, DPX has a load to handle them all. Choose DPX Hunter not just because it's a lead free hunting load. Choose it because it's the best hunting ammo on the market today. Being lead free is just an added bonus!

- **Target accuracy**
- **Deep penetration**
- **100% Weight Retention**
- **Crashes through heavy bone**
- **Reliable, consistent expansion**

CERTIFIED: CALIFORNIA LEAD FREE
In 2007 the California Fish & Game Commission adopted regulations to prohibit the use of projectiles containing lead for hunting. For more details, visit CA Fish and Game website. (Section 353, Title 14,CR)

"Corbon's DPX Hunting Line of Ammunition provides exceptional penetration, bullet expansion and bullet weight retention. Combined with Corbon's legendary attention to quality these combine to give you the Best Hunting Ammunition available at any price."

Joe S, California
Hunting Guide



223 REM. 62GR DPX VELOCITY 2825 FPS.



DPX Hunter

308 Win 130gr DPX

GLASER SAFETY SLUG®

BEST DEFENSE FOR YOUR HOMELAND SECURITY

The Glaser Safety Slug was designed in 1974 in response to the possibility of having to use a handgun on an airplane by the Sky Marshals. The concerns at that time were over penetration on soft tissue and ricochets on hard surfaces and possible overall excess penetration.

Today, Glaser offers this excellent performing round for civilian use. It is recommended for the urban dweller and anyone who is concerned with over penetration. Courthouse, hospital, amusement park and similar security agencies will also find that Glaser Safety Slug provides exactly what is needed.

Glaser Safety Slug works exactly as it was designed to do over 30 years ago. The Safety Slug uses a copper jacket and it is filled with a compressed load of either #12 or # 6 lead shot. It is then capped with a round polymer ball that enhances feeding and reloading.

The #12 shot is capped with a Blue ball. It produces immediate energy dispersal creating abrupt stopping power. It is optimally designed for warmer climates and lighter clothing.

The larger #6 shot is capped with a Silver ball. It will give typically two inches more soft tissue penetration, controlled energy release and target accuracy with a self defense handgun. This load is designed for colder climates and heavier clothing.

The Safety Slug bullet design assures that there will be no over penetration as well as reducing the likelihood of a ricochet on hard surfaces while still causing significant soft tissue destruction.

Glaser Safety Slug's features still make this a very good choice for personal protection whether in the home or on a crowded street.

- **Reliable feeding and reloading**
- **Minimizes concerns with over penetration and ricochets on hard surfaces**
- **Excellent for close quarter security**


Custom Scored Jacket
Designed for controlled fragmentation.
Round Nose Design
Maximizes ballistic coefficient and effective range.
Compressed Core
Large amounts of compressed #6 or #12 shot, with uniform density guarantees target accuracy.
Hardball Profile
Polymer tip guarantees smooth feeding in all firearms.



Glaser Silver Safety Slug
Ricochet Minimized Unequaled Stopping Power
Glaser Blue Safety Slug
Ricochet Minimized Unequaled Stopping Power
Ideal Home Personal Defense Ammunition
9 MM Luger+P 80gr

9MM Luger+P 80gr Blue Glaser

POW'RBALL®

EXCELLENT PERFORMANCE-ENHANCED FEEDING

This round was originally designed to eliminate feeding problems in pistols that would choke on the new large mouthed JHP bullets. Glaser's Pow'RBall has evolved into one of the most effective defensive rounds available today for personal protection.

The patented Pow'RBall projectile is a JHP bullet with a polymer ball crimped in the tip. This tip enhances feeding in those finicky feeding pistols but it also delays the expansion of the projectile when it hits soft tissue, making it a more controlled expansion bullet. This controlled expansion gives you deeper penetration, better weight retention and more consistent expansion in soft tissue. The lighter weight projectile also makes recoil recovery much easier for follow up shots.

Designed for finicky feeding pistols, Pow'RBall is a great choice for all of your semi auto pistols or revolvers.

- **Reliable feeding**
- **Consistent reliable expansion**
- **Deeper soft tissue penetration**
- **Quicker recovery for follow up shots**
- **Reduced Recoil**
- **High Velocity**



U.S. Patent #6,792,869

45 AUTO+P 165GR POW'RBALL VELOCITY 1225 FPS.



45 Auto+P 165gr Pow'RBall

PERFORMANCE MATCH

CONFIDENCE TO BE A CHAMPION!

If one shot is all you have, then COR®BON's Performance Match is the obvious answer. Manufactured to exacting tolerances, COR®BON's Performance Match will give you the upper hand in accuracy dependent strategic applications. Target shooters as well as Competitors will get more bang for their buck.

Competitive shooters will feel confident that Performance Match will outperform all other ammunition. When accuracy counts, our ammo is right on target. COR®BON'S Performance Match will give you the confidence to become a champion shooter.

Elite Operators will feel secure knowing that once their dope is dialed Performance Match will confidently complete the mission. Our Match loads make extreme long range accuracy achievable. Why take chances? Your ammo should be as sophisticated as your shooting skills are!

COR®BON offers both handgun and rifle loads in Performance Match. Combining world class match components such as Lapua, Sierra, Berger and Montana Gold with years of experience assembling the very best ammunition; it is clear to see why COR®BON is the only choice for the world's elite snipers, professional operators and competition shooters.

ACCURACY + DEPENDABILITY + RELIABILITY=CONFIDENCE!

MPG ™ MULTI-PURPOSE GREEN AMMUNITION

This innovative ammo from COR®BON is a perfect load for target shooting and lead free ranges. It uses a gilding metal jacket with a compressed copper core. MPG disintegrates on impact with steel targets and is non-ricocheting. This low penetrating round can also be used as a self-defense round.

COR®BON'S CUSTOM LOADS

Get match grade accuracy out of your ordinary hunting rifle or pistol with COR®BON Custom Load Development.

When going on that Big Game Hunt of a lifetime, or shooting in the World Championship, the most important part should be ensuring that your high performance gun is tuned and on target. Our professional research and development department will find the best tailored load for your rifle or pistol. We use state of the art equipment to ensure your gun obtains peak velocity and supreme accuracy. This is a custom service done specifically for your gun.

For more information and pricing on this service please visit our website: www.corbon.com or call Pete Jr. ~ 605-347-4544 or 800-626-7266

Our service includes:

- Meticulous cleaning of your gun and barrel to remove years of copper build up
- Check the scope, mounts and rings to ensure they are tight and properly seated
- Inspect the barreled action to ensure it is properly bedded in your rifle stock
- Custom Ammo loaded and designed expressly for the specific task*
- Sight in your gun for maximum point blank range
- Gun returned with test targets and ballistic print out up to 1000 yards for rifles, 500 yards for pistols
- All work and loads kept on file for future reference
- All guns will be shipped UPS and insured

**Loaded ammunition is available for both rifles and pistols at an additional cost.*

Manuel Xuereb
270 WIN 130 gr DPX
Whitmore Lake, Mi



Tom Taylor
500 S&W 440 GR HC
Turner Ranch, WY



Pete Jr, Peter VI, Emily and Abby P;
338 Lapua 225gr TTSX
Pronghorn Antelope taken in Western SD



Suzi Huntington
Custom Winchester Model 70 IN .30-06
With 180GR DPX
San Diego, CA

Samantha Bartels
243 Remington Rifle with 243 WIN 85gr DPX
Sturgis, SD

We the People
insure domestic Tranquility, provide for the common defence,
and our Posterity, do ordain and establish this Constitution
CORBON

Dakota Ammo, Inc.
P.O. Box 369
1311 Industry Road
Sturgis, SD 57785

P: 800.626.7266 or 605.347.4544
www.corbon.com

Glaser, LLC.
P.O. Box 173
1311 Industry Road
Sturgis, SD 57785

F: 800.923.2666 or 605.347.5055
www.safetyslug.com

National SHOOTING SPORTS Foundation
NSSF • ALWAYS SHOOTING FOR MORE

SAAMI
Sporting Arms and Ammunition Manufacturers' Institute, Inc.
Since 1926

National Rifle Association of America
Incorporated 1871

COR®BON

Dakota Ammo, Inc. / Glaser, LLC. • P.O. Box 369 • 1311 Industry Road • Sturgis, SD 57785

2009 Self-Defense				
Part Number	Caliber	Bullet Wt	Velocity/Energy	B/L
SD3260/20	32 Auto	60gr JHP	1050fps/147ftlbs	2.5
SD25NAA35/20	25 NAA	35gr JHP	1200fps/112ftlbs	2.0
SD32NAA60/20	32 NAA	60gr JHP	1200fps/192ftlbs	2.5
SD38090/20	380 Auto	90gr JHP	1050fps/220ftlbs	2.5
SD0990/20	9mm Luger+P	90gr JHP	1500fps/450ftlbs	4.0
SD09115/20	9mm Luger+P	115gr JHP	1350fps/466ftlbs	4.0
SD09125/20	9mm Luger+P	125gr JHP	1250fps/434ftlbs	4.0
SD300W125/20	300 Whisper	125gr JHP	2100fps/1224ftlbs	16.0
SD300W220/20	300 Whisper	220gr Subsonic	1040fps/529ftlbs	16.0
SD38110/20	38 Special+P	110gr JHP	1050fps/269ftlbs	1.875
SD38125/20	38 Special+P	125gr JHP	950fps/251ftlbs	1.875
SD357110/20	357 Mag	110gr JHP	1500fps/549ftlbs	4.0
SD357125/20	357 Mag	125gr JHP	1400fps/544ftlbs	4.0
SD357140/20	357 Mag	140gr JHP	1300fps/525ftlbs	4.0
SD38X115/20	38 Super Auto+P	115gr JHP	1425fps/519ftlbs	5.0
SD38X125/20	38 Super Auto+P	125gr JHP	1325fps/487ftlbs	5.0
SD9X23125/20	9X23	125gr JHP	1450fps/584ftlbs	5.0
SD357SIG115/20	357 Sig	115gr JHP	1500fps/575ftlbs	4.0
SD357SIG125/20	357 Sig	125gr JHP	1425fps/564ftlbs	4.0
SD40135/20	40 S&W	135gr JHP	1325fps/526ftlbs	4.0
SD40150/20	40 S&W	150gr JHP	1200fps/480ftlbs	4.0
SD40165/20	40 S&W	165gr JHP	1150fps/485ftlbs	4.0
SD400CB135/20	400 COR®BON	135gr JHP	1450fps/630ftlbs	5.0
SD400CB150/20	400 COR®BON	150gr JHP	1350fps/607ftlbs	5.0
SD400CB165/20	400 COR®BON	165gr JHP	1300fps/619ftlbs	5.0
SD10135/20	10mm Auto	135gr JHP	1400fps/588ftlbs	4.6
SD10150/20	10mm Auto	150gr JHP	1325fps/585ftlbs	4.6
SD10165/20	10mm Auto	165gr JHP	1250fps/573ftlbs	4.6

P:605.347.4544
F:605.347.5055

www.corbon.com
www.safetyslug.com

COR®BON

Dakota Ammo, Inc. / Glaser, LLC. • P.O. Box 369 • 1311 Industry Road • Sturgis, SD 57785

2009 Self-Defense Continued				
Part Number	Caliber	Bullet Wt	Velocity/Energy	B/L
SD45165/20	45 Auto+P	165gr JHP	1250fps/573ftlbs	5.0
SD45185/20	45 Auto+P	185gr JHP	1150fps/543ftlbs	5.0
SD45200/20	45 Auto+P	200gr JHP	1050fps/490ftlbs	5.0
SD45230/20	45 Auto+P	230gr JHP	950fps/461ftlbs	5.0
SD45GAP200/20	45 GAP	200grJHP	950fps/401ftlbs	4.0
SD460185/20	460 Rowland	185gr JHP	1425fps/834ftlbs	5.5
SD41M170/20	41 Rem Mag	170gr JHP	1275fps/614ftlbs	4.0
SD44M165/20	44 Rem Mag	165gr JHP	1300fps/619ftlbs	4.0
SD44S165/20	44 S&W Special	165gr JHP	1050fps/404ftlbs	4.0
SD45C200/20	45 Colt+P**	200gr JHP	1100fps/537ftlbs	4.0
SD458300/20	458 SOCOM	300gr JHP	1900fps/2405ftlbs	16.0
SD458405/20	458 SOCOM	405gr JSP	1600fps/2303ftlbs	16.0
SD20426VG/20	204 Ruger	26gr Varmint Grenade	4200fps/1019ftlbs	24.0
SD2225036VG/20	22-250 Rem	36gr Varmint Grenade	4300fps/1478ftlbs	24.0
SD2225040/20	22-250 Rem	40gr BlitzKing	4200fps/1567ftlbs	24.0
SD2225055/20	22-250 Rem	55gr BlitzKing	3700fps/1672ftlbs	24.0
SD24370/20	243 Win	70gr BlitzKing	3400fps/1797ftlbs	24.0
SD22336VG/20	223 Rem	36gr Varmint Grenade	3600fps/1036ftlbs	24.0
SD22350VG/20	223 Rem	50gr Varmint Grenade	3000fps/999ftlbs	24.0
SD22340BK/20	223 Rem	40gr BlitzKing	3400fps/1027ftlbs	16.0
SD22355/20	223 Rem	55gr JHP	3000fps/1099ftlbs	16.0
SD22355BK/20	223 Rem	55gr BlitzKing	3000fps/1099ftlbs	16.0
SD308125/20	308 Win	125gr JHP	3100fps/2668ftlbs	24.0
SD6X4570/20	6 X 45mm	70gr BlitzKing	3000fps/1399ftlbs	16.0
SD6X4562/20	6 X 45mm	62gr Varmint Grenade	3100fps/1323ftlbs	16.0
SD762X39125/20	7.62x39	125gr JHP	2400fps/1600ftlbs	18.5

JHP—Jacketed Hollow Point
JSP—Jacketed Soft Point
Varmint Grenade—Frangible core, Explosive fragmentation
B/L—Barrel Length
**Not Loaded to SAAMI Specifications

P:605.347.4544
F:605.347.5055

COR®BON

Dakota Ammo, Inc. / Glaser, LLC. • P.O. Box 369 • 1311 Industry Road • Sturgis, SD 57785

2009 Self-Defense DPX				
Part Number	Caliber	Bullet Wt.	Velocity/Energy	B/L
DPX0980/20	9mm Luger	80gr DPX	1300fps/300ftlbs	3.1
DPX09115/20	9mm Luger +P	115gr DPX	1250fps/399ftlbs	4.0
DPX9X23125/20	9x23	125gr DPX	1350fps/506ftlbs	5.0
DPX10155/20	10mm Auto	155gr DPX	1200fps/496ftlbs	4.6
DPX357125/20	357 Mag	125gr DPX	1300fps/469ftlbs	4.0
DPX357SIG125/20	357 Sig	125gr DPX	1350fps/505ftlbs	4.0
DPX38X125/20	38 Super Auto+P	125gr DPX	1350fps/506ftlbs	5.0
DPX38110/20	38 Special+P	110gr DPX	1050fps/269ftlbs	4.0
DPX38080/20	380 Auto	80gr DPX	1050fps/196ftlbs	2.5
DPX400CB155/20	400 COR®BON	155gr DPX	1200fps/496ftlbs	5.0
DPX40140/20	40 S&W	140gr DPX	1200fps/448ftlbs	4.0
DPX45GAP160/20	45 GAP	160gr DPX	1075fps/411ftlbs	4.0
DPX45AR160/20	45 Auto Rim	160gr DPX	1050fps/392ftlbs	6.0
DPX45160/20	45 Auto	160gr DPX	1050fps/392ftlbs	3.0
DPX45185/20	45 Auto+P	185gr DPX	1075fps/475ftlbs	5.0
DPX44M225/20	44 Rem Mag	225gr DPX	1350fps/911ftlbs	8.375
DPX44S200/20	44 S&W Special	200gr DPX	950fps/401ftlbs	4.0
DPX45C225/20	45 Colt+P**	225gr DPX	1200fps/720ftlbs	7.5
DPX454250/20	454 Casull	250gr DPX	1650fps/1512ftlbs	7.5
HT460SW200/20	460 S&W Magnum	200gr DPX	2300fps/2350ftlbs	8.375
HT460SW275/20	460 S&W Magnum	275gr DPX	1825fps/2034ftlbs	8.375
DPX480275/20	480 Ruger	275gr DPX	1550fps/1467ftlbs	7.5
HT500S275/12	500 S&W Special	275gr DPX	1250fps/954ftlbs	4.0
HT500SW275/12	500 S&W Magnum	275gr DPX	1665fps/1688ftlbs	8.375
HT500SW325/12	500 S&W Magnum	325gr DPX	1800fps/2338ftlbs	8.375
DPX6X4585/20	6 X 45mm	85gr DPX	2800fps/1480ftlbs	16.0
DPX68110/20	6.8mm Rem SPC	110gr DPX	2400fps/1407ftlbs	16.0
DPX762X39123/20	7.62x39	123gr DPX	2300fps/1445ftlbs	16.0

DPX—Deep Penetrating X Bullet
B/L—Barrel Length
**Not Loaded to SAAMI Specifications

P:605.347.4544
F:605.347.5055
www.corbon.com
www.safetyslug.com

CORBON

Dakota Ammo, Inc. / Glaser, LLC. • P.O. Box 369 • 1311 Industry Road • Sturgis, SD 57785

Self-Defense-DPX

2009 Thunder Ranch				
Part Number	Caliber	Bullet Wt.	Velocity/Energy	B/L
TR09115/20	9mm Luger +P	115gr DPX	1250fps/399ftlbs	4.0
TR40140/20	40 S&W	140gr DPX	1200fps/448ftlbs	4.0
TR45185/20	45 Auto +P	185gr DPX	1075fps/475ftlbs	5.0
TR38110/20	38 Special +P	110gr DPX	1050fps/269ftlbs	4.0
TR357125/20	357 Mag	125gr DPX	1300fps/469ftlbs	4.0

DPX—Deep Penetrating X Bullet
B/L—Barrel Length

P:605.347.4544
F:605.347.5055
www.corbon.com
www.safetyslug.com

COR®BON

Dakota Ammo, Inc. / Glaser, LLC. • P.O. Box 369 • 1311 Industry Road • Sturgis, SD 57785

2009 Hunting				
Part Number	Caliber	Bullet Wt.	Velocity/Energy	B/L
HT10180BC/20	10mm Auto	180gr BCSP	1300fps/676ftlbs	4.6
HT10200PN/20	10mm Auto	200gr RNPN	1125fps/562ftlbs	4.6
HT300W150/20	300 Whisper	150gr JSP	1900fps/1203ftlbs	16.0
HT357180BC/20	357 Mag	180gr BCSP	1200fps/576ftlbs	6.0
HT357200HC/20	357 Mag	200gr HC	1150fps/587ftlbs	6.0
HT41210JHP/20	41 Rem Mag	210gr JHP	1350fps/850ftlbs	4.0
HT41250HC/20	41 Rem Mag	250gr HC	1325fps/975ftlbs	4.0
HT44AM240JHP/20	44 Auto Mag	240gr JHP	1450fps/1120ftlbs	6.0
HT440240/20	440 COR®BON	240gr JHP	1600fps/1365ftlbs	6.0
HT440260BHP/20	440 COR®BON	260gr BCHP	1650fps/1572ftlbs	6.0
HT44180JHP/20	44 Rem Mag	180gr JHP	1675fps/1122ftlbs	8.375
HT44240JHP/20	44 Rem Mag	240gr JHP	1475fps/1160ftlbs	8.375
HT44260BHP/20	44 Rem Mag	260gr BCHP	1450fps/1214ftlbs	8.375
HT44280BC/20	44 Rem Mag	280gr BCSP	1350fps/1133ftlbs	8.375
HT44300JSP/20	44 Rem Mag	300gr JSP	1250fps/1041ftlbs	8.375
HT44305FPPN/20	44 Rem Mag	305gr FPPN	1250fps/1058ftlbs	8.375
HT44320HC/20	44 Rem Mag	320gr HC	1175fps/981ftlbs	8.375
HT444M280BC/20	444 Marlin	280gr BCSP	2200fps/3009ftlbs	18.5
HT444M305FPN/20	444 Marlin	305gr FPPN	2100fps/2988ftlbs	18.5
HT45C265BHP/20	45 Colt+P**	265gr BCHP	1200fps/848ftlbs	7.5
HT45C300JSP/20	45 Colt+P**	300gr JSP	1300fps/1126ftlbs	7.5
HT45C335HC/20	45 Colt+P**	335gr HC	1050fps/820ftlbs	7.5
HT454240JHP/20	454 Casull	240gr JHP	1450fps/1121ftlbs	7.5
HT454265BHP/20	454 Casull	265gr BCHP	1725fps/1751ftlbs	7.5
HT454285BC/20	454 Casull	285gr BC	1625fps/1672ftlbs	7.5
HT454300JSP/20	454 Casull	300gr JSP	1650fps/1814ftlbs	7.5
HT454320FPPN/20	454 Casull	320gr FPPN	1550fps/1708ftlbs	7.5
HT454335HC/20	454 Casull	335gr HC	1550fps/1788ftlbs	7.5

P:605.347.4544
F:605.347.5055

www.corbon.com
www.safetyslug.com

COR®BON

Dakota Ammo, Inc. / Glaser, LLC. • P.O. Box 369 • 1311 Industry Road • Sturgis, SD 57785

2009 Hunting Continued				
Part Number	Caliber	Bullet Wt.	Velocity/Energy	B/L
HT454360FPPN/20	454 Casull	360gr FPPN	1300fps/1351ftlbs	7.5
HT4570B350/20	45-70 Govt**	350gr BC	1800fps/2519ftlbs	18.5
HT4570405FPN/20	45-70 Govt**	405gr FPPN	1600fps/2303ftlbs	18.5
HT4570460HC/20	45-70 Govt**	460gr HC	1650fps/2780ftlbs	18.5
HT460230/20	460 Rowland	230gr JHP	1250fps/798ftlbs	5.5
HT460230FMJ/20	460 Rowland	230gr FMJ	1250fps/798ftlbs	5.5
HT460255/20	460 Rowland	255gr BC	1100fps/685ftlbs	5.5
HT460SW300/20	460 S&W Magnum	300gr JSP	1750fps/2041ftlbs	8.375
HT460SW325/20	460 S&W Magnum	325gr BC	1650fps/1965ftlbs	8.375
HT460SW395/20	460 S&W Magnum	395gr HC	1525fps/2040ftlbs	8.375
HT475400/20	475 TURNBULL	400gr Solid	2150fps/4107ftlbs	26.0
HT500S350/12	500 S&W Special	350gr JHP	1250fps/1215ftlbs	4.0
HT500S350FMJ/12	500 S&W Special	350gr FMJ	1100fps/941ftlbs	4.0
HT500SW350/12	500 S&W Magnum	350gr JHP	1600fps/1990ftlbs	8.375
HT500SW385/12	500 S&W Magnum	385gr BC	1700fps/2471ftlbs	8.375
HT500SW400SP/12	500 S&W Magnum	400gr SP	1625fps/2346ftlbs	8.375
HT500SW440HC/12	500 S&W Magnum	440gr HC	1625fps/2580ftlbs	8.375
HT500SW500HC/12	500 S&W Magnum	500gr HC	1500fps/2499ftlbs	8.375
HT762X39150/20	7.62x39	150gr JSP	2300fps/1762ftlbs	20.0

BCSP—Bonded Core Soft Point
RNPN—Round Nose Penetrator
JSP—Jacketed Soft Point
HC—Hard Cast
JHP—Jacketed Hollow Point
BCHP—Bonded Core Hollow Point
FPPN—Flat Point Penetrator
BC—Bonded Core
FMJ—Full Metal Jacket
SP—Soft Point
B/L—Barrel Length
**Not Loaded to SAAMI Specifications

DPX HUNTER

DPX Hunter

COR®BON

Dakota Ammo, Inc. / Glaser, LLC. • P.O. Box 369 • 1311 Industry Road • Sturgis, SD 57785

2009 DPX HUNTING				
Part Number	Caliber	Bullet Wt.	Velocity/Energy	B/L
DPX2225053/20	22-250 Rem	53gr DPX	3550fps/1483ftlbs	24.0
DPX22353/20	223 Rem	53gr DPX	3000fps/1059ftlbs	16.0
DPX22362/20	223 Rem	62gr DPX	2750fps/1041ftlbs	16.0
DPX24385/20	243 Win	85gr DPX	3200fps/1933ftlbs	24.0
DPX2506100/20	25-06 Rem	100gr DPX	3200fps/2274ftlbs	24.0
DPX257115/20	257 Wby Mag	115gr DPX	3200fps/2615ftlbs	24.0
DPX260120/20	260 Rem	120gr DPX	2900fps/2241ftlbs	24.0
DPX270130/20	270 Win	130gr T-DPX	3100fps/2775ftlbs	24.0
DPX270WBY130/20	270 Wby	130gr T-DPX	3360fps/3260ftlbs	24.0
DPX270WSM130/20	270 WSM	130gr T-DPX	3300fps/3144ftlbs	24.0
DPX280140/20	280 Rem	140gr DPX	3000fps/2799ftlbs	24.0
DPX284140/20	284 Win	140gr DPX	2900fps/2615ftlbs	24.0
DPX30100/20	30 Carb	100gr DPX	2025fps/911ftlbs	18.0
DPX3006168/20	30-06 Sprg	168gr T-DPX	2900fps/3138ftlbs	24.0
DPX3006180/20	30-06 Sprg	180gr T-DPX	2750fps/3023ftlbs	24.0
DPX300WM180/20	300 Win Mag	180gr T-DPX	3000fps/3598ftlbs	26.0
DPX300WBY180/20	300 Wby	180gr T-DPX	3200fps/4094ftlbs	26.0
DPX300RUM180/20	300 RUM	180gr T-DPX	3300fps/4354ftlbs	26.0
DPX300WSM165/20	300 WSM	165gr DPX	3100fps/3522ftlbs	24.0
DPX3030150/20	30-30 Win	150gr DPX	2300fps/1762ftlbs	20.0
DPX308130/20	308 Win	130gr T-DPX	3000fps/2599ftlbs	24.0
DPX308168/20	308 Win	168gr T-DPX	2600fps/2522ftlbs	24.0
DPX338225/20	338 Win	225gr T-DPX	2800fps/3918ftlbs	24.0
DPX338L225/20	338 Lapua Mag	225gr T-DPX	3100fps/4802ftlbs	26.0
DPX338RUM225/20	338 RUM	225gr T-DPX	3000fps/4497ftlbs	26.0
DPX340WBY225/20	340 Wby	225gr T-DPX	3100fps/4802ftlbs	26.0
DPX375RUM235/20	375 RUM	235gr DPX	3200fps/5345ftlbs	24.0
DPX375HH235/20	375 H&H Mag	235gr DPX	3000fps/4697ftlbs	24.0

P:605.347.4544
F:605.347.5055

www.corbon.com
www.safetyslug.com

CORBON

Dakota Ammo, Inc. / Glaser, LLC. • P.O. Box 369 • 1311 Industry Road • Sturgis, SD 57785

2009 DPX HUNTING Continued				
Part Number	Caliber	Bullet Wt.	Velocity/Energy	B/L
DPX375RUM300/20	375 RUM	300gr DPX	2750fps/5039ftlbs	24.0
DPX375HH300/20	375 H&H Mag	300gr DPX	2600fps/4504ftlbs	24.0
DPX41180/20	41 Rem Mag	180gr DPX	1300fps/676ftlbs	4.0
DPX416350/20	416 Rigby	350gr DPX	2750fps/5879ftlbs	24.0
DPX444225/20	444 Marlin	225gr DPX	2200fps/2419ftlbs	18.5
DPX4570300/20	45/70 Govt**	300gr DPX	1900fps/2405ftlbs	18.5
DPX458450/20	458 Win Mag	450gr DPX	2250fps/5060ftlbs	24.0
DPX475400/20	475 TURNBULL	400gr DPX	2150fps/4107ftlbs	26.0
DPX65X284120/20	6.5-284 Norma	120gr DPX	3150fps/2645ftlbs	24.0
DPX68110/20	6.8mm Rem SPC	110gr DPX	2400fps/1407ftlbs	16.0
DPX7MM08120/20	7mm-08 Rem	120gr DPX	3000fps/2399ftlbs	24.0
DPX7MMRUM160/20	7mm RUM	160gr DPX	3200fps/3639ftlbs	24.0
DPX7WBY160/20	7mm Wby Mag	160gr DPX	3100fps/3415ftlbs	24.0
DPX7WSM140/20	7mm WSM	140gr T-DPX	3200fps/3184ftlbs	24.0
DPX7MM140/20	7mm Rem Mag	140gr T-DPX	3100fps/2988ftlbs	24.0
DPX7MM160/20	7mm Rem Mag	160gr DPX	2925fps/3040ftlbs	24.0

DPX—Deep Penetrating X Bullet
T-DPX—Tipped DPX
B/L—Barrel Length
**Not Loaded to SAAMI Specifications

Glaser

Glaser Safety Slug

Dakota Ammo, Inc. / Glaser, LLC. • P.O. Box 369 • 1311 Industry Road • Sturgis, SD 57785

2009 GLASER			
BLUE/SILVER			
PART #	Description / 6 pak	Velocity / Energy	B/L
00200 / na	25 Auto 35gr	1100fps / 94ftlbs	2.0
00400 / na	32 Auto 55gr	1100fps / 148ftlbs	2.5
00450 / na	32 NAA 55gr	1250fps / 191ftlbs	2.5
00600 / 00800	380 Auto 70gr	1200fps / 224ftlbs	2.5
00700 / 00900	9mm Makarov 75gr	1150fps / 220ftlbs	2.5
01000 / 01200	9mm Luger +P 80gr	1500fps / 399ftlbs	4.0
01400 / 01600	38 Super Auto 80gr	1650fps / 483tlbs	5.0
01800 / 02000	38 Special Std 80gr	1200fps / 256ftlbs	4.0
02200 / 02400	38 Special +P 80gr	1250fps /278ftlbs	3.5
02500 / 02700	357 Sig 80gr	1650fps / 484ftlbs	4.0
02600 / 02800	357 Magnum 80gr	1600fps /455ftlbs	4.0
03000 / 03200	40 S&W 115gr	1400fps / 501ftlbs	4.0
03400 / 03600	10mm Auto115gr	1650fps / 695ftlbs	4.0
06200 / 06400	400 COR®BON 115gr	1650fps / 695ftlbs	5.0
03800 / 04000	44 S&W Special 135gr	1300fps / 507ftlbs	4.0
04200 / 04400	44 Magnum 135gr	1600fps /768ftlbs	4.0
04600 / 04800	45 Auto +P 145gr	1350fps / 587ftlbs	5.0
05000 / 05200	45 Colt+P 145gr**	1250fps / 503ftlbs	4.0
05400 / na	223 (5.56) 45gr	3375fps / 1138ftlbs	16.0
05600 / na	7.62x39 130gr	2300fps / 1527ftlbs	18.5
05800 / na	308 Win 130gr	3000fps / 2599ftlbs	24.0
06000 / na	30-06 Sprg 130gr	3100fps / 2774ftlbs	24.0

B/L—Barrel Length
**Not Loaded to SAAMI Specifications

P:605.347.4544
F:605.347.5055

Glaser Pow'RBall

Glaser®

Dakota Ammo, Inc. / Glaser, LLC. • P.O. Box 369 • 1311 Industry Road • Sturgis, SD 57785

2009 Pow'RBall				
Part Number	Caliber	Bullet Wt.	Velocity/Energy	B/L
PB3255/20	32 Auto	55gr Pow'RBall	1100fps/148ftlbs	2.5
PB38070/20	380 Auto	70gr Pow'RBall	1100fps/188ftlbs	3.0
PB09MAK70/20	9mm Makarov	70gr Pow'RBall	1250fps/242ftlbs	3.75
PB09100/20	9mm Luger +P	100gr Pow'RBall	1475fps/483ftlbs	4.0
PB9X23100/20	9X23	100gr Pow'RBall	1600fps/568ftlbs	5.0
PB10135/20	10mm Auto	135gr Pow'RBall	1400fps/588ftlbs	4.6
PB357100/20	357 Mag	100gr Pow'RBall	1450fps/467ftlbs	4.0
PB357SIG100/20	357 Sig	100gr Pow'RBall	1600fps/568ftlbs	4.6
PB38100/20	38 Special+P	100gr Pow'RBall	1150fps/294ftlbs	1.875
PB38X100/20	38 Super+P	100gr Pow'RBall	1525fps/516ftlbs	5.0
PB400CB135/20	400 COR®BON	135gr Pow'RBall	1375fps/567ftlbs	5.0
PB40135/20	40 S&W	135gr Pow'RBall	1325fps/526ftlbs	4.0
PB45GAP165/20	45 GAP	165gr Pow'RBall	1075fps/424ftlbs	4.0
PB45165/20	45 Auto+P	165gr Pow'RBall	1225fps/550ftlbs	5.0

PB—Pow'RBall
B/L—Barrel Length

P:605.347.4544
F:605.347.5055

COR®BON

Dakota Ammo, Inc. / Glaser, LLC. • P.O. Box 369 • 1311 Industry Road • Sturgis, SD 57785

2009 Performance Match					
Part Number	Caliber	Bullet Wt.	Velocity/Energy	B/L	Twist Rate
PM09147/50	9mm Luger	147gr FMJ	900fps/264ftlbs	4.0	1 in 10
PM22369/20	223 Rem	69gr HPBT	3000fps/1379ftlbs	20.0	1 in 9
PM22377/20	223 Rem	77gr HPBT	2800fps/1341ftlbs	20.0	1 in 9
PM22390S/20	223 Rem	90gr HPBT Subsonic	1000fps/200ftlbs	14.5	1 in 7
PM243115/20	243 Win	115gr DTAC	2900fps/2148ftlbs	24.0	1 in 7.5
PM260123/20	260 Rem	123gr SCENAR	2950fps/2377ftlbs	24.0	1 in 8
PM260139/20	260 Rem	139gr SCENAR	2750fps/2335ftlbs	24.0	1 in 8
PM260142/20	260 Rem	142gr HPBT	2700fps/2299ftlbs	24.0	1 in 8
PM300WM190/20	300 Win Mag	190gr HPBT	2900fps/3549ftlbs	25.0	1 in 11.25
PM300WSM190/20	300 WSM	190gr HPBT	2900fps/3549ftlbs	24.0	1 in 10
PM308155/20	308 Win	155gr SCENAR	2900fps/2895ftlbs	25.0	1 in 12
PM308168/20	308 Win	168gr HPBT	2700fps/2720ftlbs	25.0	1 in 12
PM308175/20	308 Win	175gr HPBT	2650fps/2730ftlbs	25.0	1 in 12
PM308190/20	308 Win	190gr HPBT	2600fps/2853ftlbs	25.0	1 in 12
PM308S185/20	308 Win	185gr FMJ-RBT Subsonic	1000fps/411ftlbs	16.0	1 in 10
PM32NAA71/50	32 NAA	71gr FMJ	1000fps/158ftlbs	2.5	1 in 16
PM338250/20	338 Lapua	250gr HPBT	3000fps/4997ftlbs	27.0	1 in 9.4
PM338300/20	338 Lapua	300gr HPBT	2800fps/5224ftlbs	27.0	1 in 9.4
PM338S300/20	338 Lapua	300gr HPBT Subsonic	1000fps/666ftlbs	20.0	1 in 9
PM338N300/20	338 Norma Mag	300gr HPBT	2750fps/5038ftlbs	27.0	1 in 9.5
PM38X147/50	38 Super	147gr FMJ	900fps/264ftlbs	5.0	1 in 16
PM38147/20	38 Special	147gr FMJ	900fps/264ftlbs	4.0	1 in 18.75
PM40165/50	40 S&W	165gr FMJ	850fps/265ftlbs	4.0	1 in 16
PM400CB165/50	400 COR®BON	165gr FMJ	1100fps/443ftlbs	5.0	1 in 16
PM45230/50	45 Auto	230gr FMJ	750fps/287ftlbs	5.0	1 in 16
PM45GAP230/50	45GAP	230gr FMJ	750fps/287ftlbs	4.0	1 in 16
PM45AR230/50	45 Auto Rim	230gr FMJ	750fps/287ftlbs	4.0	1 in 16
PM6XC115/20	6XC	115gr DTAC	2900fps/2148ftlbs	24.0	1 in 7.5

P:605.347.4544
F:605.347.5055

www.corbon.com
www.safetyslug.com